

Mercusys MR70X AX1800 Dual-Band Wi-Fi router



1775Mb/s, IEEE 802.11a/b/g/n/ac/ax (Wi-Fi 6), WAN (1Gb/s): 1 port, LAN (1Gb/s): 3 port, antennák száma: 4db, 5dBi, fekete

Cikkszám: MR70X

Ár:

22 240 Ft

Garancia: 3 Év

Wireless Standards

Compatible with 802.11ax/ac/a/b/g/n Wi-Fi standards

WiFi Speeds

1201 Mbps (5 GHz) + 574 Mbps (2.4 GHz)

Reception Sensitivity

11g 6Mbps: -96dBm
11g 54Mbps: -78dBm
11n HT40 MCS7:-74dBm
11n HT20 MCS7:-77dBm
11a 6Mbps:-94dBm
11a 54Mbps:-76dBm
11ac VHT20 MCS8:-71dBm
11ac VHT40 MCS8:-68dBm
11ac VHT80 MCS8:-65dBm

Transmission Power

2.4 GHz < 20dBm (EIRP)
5 GHz < 23dBm (EIRP)

Wireless Security

WPA-PSK / WPA2-PSK/ WPA3 wireless encryption

Wireless Functions

Enable/Disable Wireless Radio, WMM

Wireless

WAN Type

Dynamic IP/Static IP/PPPoE/L2TP/PPTP

Management

Access Control
Local Management
Remote Management

DHCP

Server, DHCP Client List

NAT Forwarding

Port Forwarding, Port Triggering, UPnP, DMZ

Firewall Security

SPI Firewall, IP and MAC Address Binding

Guest Network

2.4 GHz Guest Network, 5 GHz Guest Network

VPN Passthrough

OpenVPN, PPTP supported

Software

Dimensions

8.2 × 6.8 × 1.6 in (208.8 × 171.6 × 41.7 mm)

Interfaces

1× Gigabit WAN Port + 3× Gigabit LAN Ports

Button

Reset/WPS Button

Antenna Type

4× 5 dBi Fixed Omni-Directional Antennas

Hardware

Package Contents

- AX1800 Wi-Fi 6 Router MR70X
- Power Adapter
- Quick Installation Guide
- RJ45 Ethernet Cable

Environment

- Operating Temperature: 0°C~40°C (32°F~104°F)
- Operating Humidity: 10%~90% Non-Condensing
- Storage Humidity: 5%~90% Non-Condensing

Others

Dual-Band	Van
LAN (1Gb/s)	3
WAN (1Gb/s)	1
Wi-Fi átviteli sebesség	1775
Wi-Fi jeltípus	IEEE 802.11a/b/g/n/ac/ax (Wi-Fi 6)
Wi-Fi titkosítás	WPA3;WPA2-PSK
Gyártó	TP-Link
antenna nyeresége	5
antenna típusa	külső fix
antennák száma	4
WI-FI	Van
szín	fekete