

Lenovo 1Gb/s USB-C hálózati adapter



RJ45: 1db, USB-C, fekete

Cikkszám: 4X90S91831

Ár:

11 180 Ft

Garancia: 1 Év
<https://accessorysmartfind.lenovo.com/products/4X90S91831>

Feature

Product Description

The Lenovo USB-C to Ethernet Adapter is quick and easy way to connect your USB-C enabled notebook to Ethernet connections. It's ideal for imaging of systems or transferring large files quickly.

Top Features

- Sleek design
- Full-size RJ45 connector
- LEDs on RJ45 connector to indicate activity and link status
- Support PXE boot, Wake-On-LAN, MAC pass through if host notebook supports Note: Depending on many factors such as the processing capability of the host and peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual data transfer rate will be slower than 5 Gbit/s on USB 3.1 Gen 1 (USB 3.0) connectors, slower than 10 Gbit/s on USB 3.1 Gen 2 connectors, and slower than 20Gbit/s on USB 3.2 connectors.

Tech Specs

Warranty Terms	1year
Product Title	Lenovo USB-C to Ethernet Adapter
Agency Approvals	• CB • USA: FCC • Canada: ICES • European Union: CE • Australia / New Zealand: C-tick • Japan: VCCI • Ukraine • Customs Union: EAC
Brand	Lenovo
Color	Black
Connectivity	USB Type-C
EAN	193124150345
UPC	193124150345
JAN	4589702068250
Ethernet	Meet IEEE802.3ab network specification for Gigabit data rate transmit Meet IEEE802.3 network specification 100Mbps data rate transmit LEDs on connector to indicate activity and link status
Hardware Requirements	Only shall connect to a host system or USB Type C hub implement USB Type C female connector which serves as a Downstream Facing Port (DFP)
Hot Plug	Support flippable plug into Type C female connector
Maximum Relative Humidity(%)	95
Maximum Temperature(?)	40
Maximum Temperature(?)	104
Minimum Relative Humidity(%)	20

Minimum Temperature(?)	-5
Minimum Temperature(?)	23
OS Requirements	• Microsoft Windows7 (32bit & 64bit) • Microsoft Windows10 (64bit) Support PXE boot and load image from remote server are required both on legacy BIOS and UEFI BIOS system if host systems support Support Wake-On-LAN from S3 if host system support Support MAC pass through on selected ThinkPad notebook systems
Other Electrical Specifications	
Other Operating Environment	To get the latest device driver for the Lenovo® USB C to Ethernet Adapter, go to http://support.lenovo.com/docs/usbc_to_ethernet_adapter
Package Type	PE bag
Packed Physical Specification(Dimension)(in)	9.7x4.7x0.6
Packed Physical Specification(Dimension)(mm)	245x120x15
Packed Weight	44g
Shipment Group	Lenovo USB C to Ethernet Adapter, Publications
Support PXE Boot	If PXE-Boot function is to be applied through Type C to Ethernet Adapter, please first confirm host system's Type C port would support.
Unpacked Physical Specification(Dimension)(in)	8.1x0.8x0.5
Unpacked Physical Specification(Dimension)(mm)	207x21x13
Unpacked Weight	24g
Compatibility	
Operating System	
OS Independent	
Compatible Machines	

Description	ID	Footnote
Business Edition Miix Series-	20M3	
Lenovo MIIX 520-12IKB	20M4	
EM-Chromebook(100s Chromebook)-Lenovo 300e Chromebook	81H0	
EM-Chromebook(100s Chromebook)-Lenovo 500e Chromebook	81ES	
MIIX 300-Lenovo MIIX 320-10ICR	80XF	
MIIX 500-Lenovo MIIX 510-12IKB	80XE	
MIIX 500-Lenovo MIIX 520-12IKB	81CG	
	10MQ	
	10MR	
ThinkCentre M Tiny Series-	10MS	
ThinkCentre M710q	10MT	
	10N3	
	10QR	
	10MU	
	10MV	
ThinkCentre M Tiny Series-	10MW	
ThinkCentre M910q	10MX	
	10N4	
	10QN	
	10MY	
	10N0	
ThinkCentre M Tiny Series-	10N1	
ThinkCentre M910x	10N2	
	10QQ	
	10R4	
	10MK	
ThinkCentre M Traditional Desktop Series-ThinkCentre M910s	10ML	
	10NA	

	10QM
	10MM
ThinkCentre M Traditional Desktop Series-ThinkCentre M910t	10MN
	10N9
	10QL
ThinkPad E Series-E485	20KU
	20N8
ThinkPad E Series-E490	20N9
	20NG
ThinkPad E Series-E490s	20KV
ThinkPad E Series-E585	20M5
	20M6
ThinkPad L Series-L380	20M7
	20M8
	20NR
	20NS
ThinkPad L Series-L390	20NT
	20NU
	20LS
ThinkPad L Series-L480	20LT
	20LW
ThinkPad L Series-L580	20LX
	20MD
ThinkPad P Series-P1	20ME
	20HH
ThinkPad P Series-P51	20HB
	20HC
ThinkPad P Series-P51s	20JY
	20K0
	20M9
ThinkPad P Series-P52	20MA
	20LB
ThinkPad P Series-P52s	20LC
	20HK
ThinkPad P Series-P71	20HL
	20MB 115. Support on-board ports only.
ThinkPad P Series-P72	20MC 115. Support on-board ports only.
	20HD
	20HE
ThinkPad T Series-T470	20JM
	20JN
	20HF
	20HG
ThinkPad T Series-T470s	20JS
	20JT
	20L5
ThinkPad T Series-T480	20L6
	20L7
ThinkPad T Series-T480s	20L8
	20N2 115. Support on-board ports only.
ThinkPad T Series-T490	20N3 115. Support on-board ports only.
	20NX 115. Support on-board ports only.
ThinkPad T Series-T490s	20NY 115. Support on-board ports only.
	20NJ 115. Support on-board ports only.
ThinkPad T Series-T495	20NK 115. Support on-board ports only.
	20H9
	20HA
ThinkPad T Series-T570	20JW
	20JX
	20L9
ThinkPad T Series-T580	20LA

ThinkPad T Series-TP25	20K7	274. Support on-board ports only.Support Mac Pass Through function if the label attached on the adapter shows the ASM PN is SC10P27625.
	20LM	
ThinkPad X Series 2nd gen-11e	20LN	
5th Gen	20LQ	
	20LR	
ThinkPad X Series 2nd gen-13 2nd Gen	20J1	
	20J2	
	20HW	
ThinkPad X Series 2nd gen-ThinkPad 11e	20HX	
	20HY	
	20J0	
ThinkPad X Series 2nd gen-ThinkPad 13	20GJ	
	20GK	
ThinkPad X Series 2nd gen-ThinkPad Yoga 370	20JH	
	20JJ	
	20HQ	
ThinkPad X Series 2nd gen-X1 Carbon 5th Generation	20HR	
	20K3	
	20K4	
ThinkPad X Series 2nd gen-X1 Carbon 6th Generation	20KG	
	20KH	
ThinkPad X Series 2nd gen-X1 Extreme 1st Generation	20MF	
	20MG	
	20JD	
ThinkPad X Series 2nd gen-X1 Yoga	20JE	
	20JF	
	20JG	
	20LD	
ThinkPad X Series 2nd gen-X1 Yoga 3rd Generation	20LE	
	20LF	
	20LG	
ThinkPad X Series 2nd gen-X270	20K5	
	20K6	
ThinkPad X Series 2nd gen-X280	20KE	
	20KF	
ThinkPad X Series 2nd gen-X380 Yoga	20LH	
	20LJ	
	20Q0	274. Support on-board ports only.Support Mac Pass Through function if the label attached on the adapter shows the ASM PN is SC10P27625.
ThinkPad X Series 2nd gen-X390	20Q1	274. Support on-board ports only.Support Mac Pass Through function if the label attached on the adapter shows the ASM PN is SC10P27625.
ThinkPad X Series-A485	20MU	
	20MV	
ThinkPad X Series-ThinkPad A475	20KL	
	20KM	
	20HM	
ThinkPad X Series-ThinkPad X270	20HN	
	20KC	
	20GG	
ThinkPad X1 Tablet-ThinkPad X1 Tablet	20GH	
	20JB	
	20JC	
ThinkPad X1 Tablet-ThinkPad X1 Tablet Gen 3	20KJ	
	20KK	
Y900 Series-Lenovo ideapad Y910-17ISK	80V1	
	20L3	
	20L4	
	20LK	
	20MW	
	20MX	

20NE 115. Support on-board ports only.
20NF 115. Support on-board ports only.
20NN 115. Support on-board ports only.
20NQ 115. Support on-board ports only.
20R9
81H3
81NS
81Q4
81T0
81T3
81UF
81UG
81UH
81UJ

USB-C	1
Gyártó	Lenovo
átviteli sebesség	1Gb/s
csatlakozás	USB-C
RJ45	1
szín	fekete