**Szanex Bt.** Cégjegyzék szám: 05-06-005646 Adószám: 21302541-2-05

## **StarTech Professional VGA 4 portos KVM switch**

USB2.0 bemenet: 4db, USB2.0 kimenet: 4db, D-Sub bemenet: 4db, D-Sub kimenet: 1db

Cikkszám: SV431USB

Ár:



67 860 Ft

The SV431USB 4 Port rack mountable VGA USB KVM Switch with Hub offers simple control of up to four computers from a single monitor/display and USB peripheral set (keyboard, mouse).

The USB KVM switch features an integrated 4 port USB hub, allowing you to share connected USB peripherals between the four controlled PC/Mac computers as though the devices were connected directly.

Offering convenient placement and installation options, the KVM switch features a 1U rack-mountable form factor and rear port connection to master and slave computers, allowing you to make the necessary device connections without disrupting your workspace.

A cross-platform solution, the KVM switch supports high resolution applications at up to 1920x1440 and provides a smooth operating experience when controlling mixed (Windows/Mac OS/Linux) environments.

Backed by a StarTech.com 3 year warranty and free lifetime technical support.

Rackmount your KVM switch

If you'd like to mount this KVM switch to your server rack, StarTech.com offers a **1U Rackmount Bracket** (sold separately) that turns this KVM into a rackmountable KVM.

## Hardware

Audio No Cables No Included Daisy-Chain No **KVM Ports** 4 Multi-Monitor No PC Interface USB PC Video VGA Туре Optional Rack-Mountable 1U U Height Performance Auto Scan 3, 8, 15 & 30 seconds DVI Support No Hot-Key No Selection IP Control No Maximum 1920 x 1440 Analog Resolutions Maximum 16.4 ft [5 m] Cable Length

-	
Maximum	1
Number of	
Users	
MTBF	82,506 Hours
	n Push Button
Support	
Connector(	
Console Interface(s)	1 - VGA (15 pin; High Density D-Sub) Female
Intenace(s)	4 - USB A (4 pin) Female
Host	4 - USB B (4 pin) Female
Connectors	
connectors	4 - VGA (15 pin; High Density D-Sub) Male
Software	
OS	OS independent; No software or drivers required
Compatibility	
Special Note	es / Requirements
Note	In order to use the SV431USB with a USB keyboard that has additional USB ports, such as an Apple
	Macintosh keyboard, or to use the SV431USB with a USB hub, an additional power supply may be
	required
Power	
Center Tip	Positive
Polarity	
Input Current	
Output	110 ~ 240 AC 2A
Current	ZA
Output	5 DC
Voltage	
Plug Type	Ν
	e Not Included (not required for standard applications)
	aracteristics
Color	Black
Enclosure	Steel
Туре	
Product	1.7 in [44 mm]
Height	
Product	8.7 in [220 mm]
Length	
Product	31.8 oz [900 g]
Weight Product Widt	n 5.1 in [130 mm]
Packaging I	
Shipping	3 lb [1.3 kg]
(Package)	
Weight	
What's in th	e Box
Included in	1 - 4 Port VGA USB KVM Switch
Package	
	4 - Rubber Feet
	1 - Instruction Manual

D-Sub bemenet	4
D-Sub kimenet	1
tömeg	900
Gyártó	StarTech

külső tápegység	Van
portok száma	4
USB2.0 bemenet	4
USB2.0 kimenet	4
magasság	44 mm
magasság mélység	44 mm 130 mm