Szanex Computer webshop

Szanex Bt.

Cégjegyzék szám: 05-06-005646 Adószám: 21302541-2-05 3700 Kazincbarcika, Dózsa Gy. út 24. szanex@szanex.hu (48) 512-880

StarTech USB DVI 4 portos KVM switch + Audio & USB 2.0 Hub

USB2.0 bemenet: 4db, USB2.0 kimenet: 4db

Cikkszám: SV431DDVDUA

Ár:

196 600 Ft



The SV431DDVDUA 4-port DVI VGA dual monitor KVM switch lets you control 4 Dual Display computers using a single USB mouse and keyboard peripheral set.

This dual view KVM switch provides 1 VGA and 1 DVI-I port per computer connection for high-resolution video, as well as audio switching capability between connected computers.

The DVI/VGA KVM switch features an integrated 2-port USB hub that allows USB 2.0 peripherals to be shared between connected computers, and offers a compact design with a rugged metal chassis for durable performance. NOTE: While both DVI-I (analog) and DVI-D (digital) are supported by the KVM, source PCs must output the same signal for proper switching. It is recommended wherever possible to use DVI-D cables across all PC to KVM and KVM to Console connections. If necessary, please contact technical support for assistance identifying your source. Backed by a StarTech.com 3-year warranty and free lifetime technical support.

The StarTech.com Advantage

- High-resolution DVI and VGA ports support almost any dual display scenario; even with one DVI + VGA PC, and one dual DVI PC, an adapter can be used with this KVM to support your configuration
- Integrated USB 2.0 hub and Mic/Audio ports allow the user to have full multimedia control of two computers and share USB peripherals eliminating the expense of duplicate devices
- Absolutely no software or drivers required providing a completely OS independent KVM solution

Audio Yes

Cables No

Included
Daisy-Chain No

KVM Ports 4

Multi-MonitorYes

PC Interface USB

PC Video DVI+VGA

Type

Rack- Optional

Mountable

Performance

DVI Support Yes - Single Link

Hot-Key Yes

Selection

IP Control No

Maximum 1920 x 1400

Analog

Resolutions

Maximum 1920 x 1200

Digital

Resolutions

Maximum 1 Number of

Users Port

Push Button and Hotkeys

Selection

Support

Connector(s)

1 - DVI-I (29 pin) Female

Console Interface(s)

> 1 - VGA (15 pin; High Density D-Sub) Female 2 - 3.5 mm Mini-Jack (3 Position) Female

4 - USB A (4 pin) Female

Host 4 - 3.5 mm Mini-Jack (3 Position) Female

Connectors

4 - DVI-I (29 pin) Female 4 - USB B (4 pin) Female

4 - VGA (15 pin; High Density D-Sub) Female

Software

OS OS independent; No software or drivers required

Compatibility

Special Notes / Requirements

Note While both DVI-I (analog mode) and DVI-D (digital only) are supported by the KVM, both source PCs

must output the same signal type for proper switching. It is recommended wherever possible to use DVI-D cables across all PC to KVM and KVM to Console connections. Please contact technical support

for assistance identifying your source.

Indicators

LED 1 - Green - Power

Indicators

2 - Green - PC Detected 2 - Red - PC Indicator

Power

Center Tip Positive

Polarity

Input 0.8A

Current

Input 110 ~ 240 AC

Voltage

Output 1.5A

Current

Output 12 DC

Voltage

Voitage

Plug Type M

Power AC Adapter Included

Source

Environmental

Humidity 80% RH

Operating 0°C to 40°C (32°F to 104°F)

Temperature

Storage -20°C to 60°C (-4°F to 140°F)

Temperature

Physical Characteristics

Color Black Enclosure Steel

Type

Product 5.1 in [130 mm]

Depth

Product 2.4 in [60 mm]

Height

Product 6.4 in [163 mm]

Length

Product 43.6 oz [1236 g]

Weight

Product

8.7 in [220 mm]

Width

Packaging InformationShipping 4 lb [1.8 kg]

Shipping (Package)

Weight
What's in the Box

Included in 1 - Four Port KVM Switch

Package

- 1 Rubber Feet
- 1 Universal Power Adapter (US/EU/UK) and AU in Australia
- 1 User Manual

tömeg	1236
Gyártó	StarTech
cikknév kiegészítés	+ Audio & USB 2.0 Hub
DVI bemenet	4
DVI kimenet	1
hang bemenet	4
hang kimenet	2
külső tápegység	Van
portok száma	4
USB2.0 bemenet	4
USB2.0 kimenet	4
magasság	60 mm
mélység	130 mm
szélesség	220 mm
szín	fekete