

Thermaltake Core W100 táp nélküli ablakos Full Tower számítógépház fekete



alsó táp, 3,5" belső hely: 6db, 5,25" hely: 3db, USB3.0: 4db, E-ATX

Cikkszám: CA-1F2-00F1WN-00

Ár:

160 930 Ft



Thermaltake Core W100 Super Tower Chassis

Thermaltake presents the latest TT Premium product line which follows the core values of Excellent Quality, Unique Design, Diverse Combinations and Boundless Creativity. Under this product line is the new Core W Series – Core W100 and Core WP100 super tower chassis with the Core P100 pedestal chassis – to deliver versatility in different superior looks.

Being as the first chassis with full assembly concept, the Core W Series is the great new challenges for makers to start from zero and experience the true "DIY" by putting every piece together to complete a high-end system. The Core W100 is the one and only chassis able to house more than twenty HDD cages and up to 10 expansion slots, which can be served as another workstation in the industrial field. With its unprecedented space for high-end hardware and liquid cooling expansion, the Core W100 supports the latest XL-ATX, E-ATX, ATX, Micro ATX, Mini-ITX motherboards, and also SSI MEB. All standard equipment of the chassis is included, what makers need to purchase is custom liquid cooling components ones need for building up aesthetically-superior water cooling systems by incorporating externally-modular upgrades for their chassis.

[Download Core W100 Manual](#)

TT Premium

To continue achieving the corporate mission of delivering the perfect user experience, Thermaltake developed "TT Premium" with the essence of combining supreme quality products with a new logo design. TT Premium is far more than just a guarantee of quality. Behind the name, it represents the passion in DIY, Modding and Thermaltake's desire to be the most innovative brand in the PC hardware market. To satisfy the demand of the high-end PC users, TT Premium follows its core values of Excellent Quality, Unique Design, Diverse Combinations and Boundless Creativity to provide a high performance PC product for every enthusiast.




Tt LCS Certified

Tt LCS Certified is a Thermaltake exclusive certification applied to only products that pass the design and hardware enthusiasts standards that a true LCS chassis should be held to. The Tt LCS certification was created so that we at Thermaltake can designate to all power users which chassis have been tested to be best compatible with extreme liquid cooling configurations to ensure you get the best performance from the best features and fitment.



DMD - Dismantlable Modular Design

Being the first chassis with a ground up build it yourself design, the Core W Series is a great new challenge for makers to start from zero by putting every piece together to complete a high-end system. With removable "3 + 10" drive racks and freely interchangeable SSD/HDD cage sections, the Core W100 offers more for maximum interior space. Take advantage to include high-end, maximum capacity, cooling allotment without the reduction of GPU length limitations when incorporating liquid cooling expansion for the ultimate in cooling performance.



Workstation Concept

Being as the first super tower chassis embedded with more than 20 drive trays and 10 PCIe slots, the Core W100 can be used as another workstation for technical or scientific purposes, holding data or hosting a number of different features between computers. Compatible with the latest Intel processors and AMD/Nvidia graphics cards, the Core W100 delivers exceptional performance and creates effective work environment.



Superior Expansion

Designed for high-end gaming systems and workstation compatibility, the Core W100's modular drive racks allow makers to easily install up to more than twenty data storage devices, a dual slot VGA of up to 635mm in length, and a tower CPU cooler as high as 200mm. Even with a high-wattage PSU stretching to 220mm in length, there is still plenty of space for cable management. Moreover, a 420mm radiator can be installed in the front of the chassis, delivering superior cooling performance.



Outstanding Ventilation

The Core W100's unparalleled cooling ability offers fan brackets with various mounting points to support any type of cooling you can dream of including DIY/AIO liquid-cooling systems and air-cooling units. Fans can be mounted anywhere inside the chassis: support for up to three 140mm fans at the front and a rear 140mm fan guarantees excellent airflow capabilities; three large 200mm fans on the top panel as well as three 140mm fans at the bottom. With this level of airflow, the Core W100 is the perfect choice for any high-end system.



bottom, while there is still room for 120mm, 140mm, and 200mm fans on both sides.

Versatile Expandability

With its stacking design, the Core W100 and the Core P100 make two different combinations: by stacking Core P100 on the top or at the bottom of Core W100. The mix and match of Core WP100 offers an expandable system allowing enthusiasts to incorporate externally-modular upgrades. Stacked together, the chassis opens up space to expand the liquid cooling system, the storage solutions, or even create dual systems, thereby enabling a dedicated top/bottom set-up for pure cooling. When stacked, the maximum radiator length supported is 600mm on the front side.

Expand the limits with the stackable Core P100 Pedestal (sold separately) allowing externally-modular upgrades for even more cooling and power capabilities.


Core WP100

Core W100



Core W100 Radiator Supporting List


Radiator Compatibility List											
	120 mm	240 mm	280 mm	360 mm	440 mm	200 mm	420 mm	560 mm	200 mm	400 mm	600 mm
Front	*	*	*	*	*	*	*	*	*	*	*
Top	*	*	*	*	*	*	*	*	*	*	*
Rear	*				*						
Bottom					*	*					
Right Side											



Core W100 Fan Supporting List

Fan Compatibility List			
	120mm	140mm	200mm
Front	3	3	-
Top	4	4	3
Rear	1	1	-
Bottom	3	3	-
Side (LR)	6	6	6

Thermaltake Compatible Fan			
	120mm	140mm	200mm



Pure Fan Series	*	*	*
Luna Fan Series	*	*	*
Odin Fan Series	*	*	



Core W Series Comparison Chart

ThermalTake Core W Series Comparison Chart			
P/N	Core W100	Core W150	Core P300
			
Case Type	Tower	Tower	Desktop
Chassis Dimension (H*W*D)	478 x 200 x 478 mm (18.8 x 7.9 x 18.8 in.)	477 x 200 x 478 mm (18.8 x 7.9 x 18.8 in.)	348 x 200 x 478 mm (13.7 x 7.9 x 18.8 in.)
Side Panel Window	Yes	Yes	No
Net Weight	2.1kg (4.6 lb)	2.1kg (4.6 lb)	1.8kg (3.9 lb)
Drive Bays	External: 2 x 5.25" Internal: 6 x 3.5", 2 x 3" (HDD Cages) 4 x 3.5", 2 x 3" (Behind the M/B tray)	External: 2 x 5.25" Internal: 6 x 3.5", 2 x 3" (HDD Cages) 4 x 3.5", 2 x 3" (Behind the M/B tray)	N/A
Expansion Slots	6.3" x 6.3" (Max 170) 3.6" x 9.6" (Micro ATX) 3.2" x 9.6" (ATX) 3.2" x 13" (E-ATX) 3.6" x 10.4" (DL-ATX)	6.3" x 6.3" (Max 170) 3.6" x 9.6" (Micro ATX) 3.2" x 9.6" (ATX) 3.2" x 13" (E-ATX) 3.6" x 10.4" (DL-ATX)	N/A
USB Ports	USB 3.0 HD Audio	USB 3.0 HD Audio	N/A
Fan Supports	Front: 3 x 120mm, 1 x 140mm	3 x 120mm, 1 x 140mm	N/A
	Rear: 1 x 120mm, 1 x 140mm	1 x 120mm, 1 x 140mm	N/A
	Top: 4 x 120mm, 4 x 140mm, 3 x 200mm	4 x 120mm, 4 x 140mm, 3 x 200mm	4 x 120mm, 4 x 140mm, 3 x 200mm
	Bottom: 3 x 120mm, 1 x 140mm	3 x 120mm, 1 x 140mm	4 x 120mm, 4 x 140mm (with P300)
	Left Side: 4 x 120mm, 4 x 140mm (with Core P300)	N/A	4 x 120mm, 4 x 140mm
	Right Side: 3 x 120mm, 1 x 140mm, 4 x 200mm (with Core P300)	3 x 120mm, 4 x 140mm, 4 x 200mm (with Core P300)	4 x 120mm, 4 x 140mm
	1 x 120mm, 1 x 140mm	1 x 120mm, 1 x 140mm	N/A
Radiator Supports	Front: 1 x 120mm, 1 x 140mm	1 x 120mm, 1 x 140mm	N/A
	Rear: 1 x 120mm, 1 x 140mm	1 x 120mm, 1 x 140mm	N/A
	Top: 1 x 120mm, 1 x 140mm	1 x 120mm, 1 x 140mm	1 x 120mm, 1 x 140mm
	Bottom: 1 x 120mm, 1 x 140mm	1 x 120mm, 1 x 140mm	1 x 120mm, 1 x 140mm (with P300)
	Left Side: 1 x 120mm, 1 x 140mm (with Core P300)	N/A	1 x 120mm, 1 x 140mm
	Right Side: 1 x 120mm, 1 x 140mm (with Core P300)	N/A	1 x 120mm, 1 x 140mm
	1 x 120mm, 1 x 140mm	1 x 120mm, 1 x 140mm	N/A
Clearance	CPU Cooler Height: 200mm	200mm	N/A
	VGA Length Limitation: 470mm (with HDD rack), 470mm (without HDD rack)	470mm (with HDD rack), 470mm (without HDD rack)	N/A
	PSU Length Limitation: 180mm (with Three Bottom Fan), 180mm (with Three Bottom Fan)	180mm (with Three Bottom Fan), 180mm (with Three Bottom Fan)	N/A

VL 0104

Gyártó	THERMALTAKE
formátum	Full Tower
szín	fekete