

Canon i-SENSYS MF651Cw színes multifunkciós lézernyomtató



másoló, szkennер, A4, duplex, 1200x1200 DPI, USB2.0, LAN, Wi-Fi, 2x, 800MHz, 1024MB, fehér-fekete, 19kg

Cikkszám: 5158C009AA

Ár:

151 770 Ft

Specifications in detail

General Specifications

- Machine Type
Colour Laser All-In-One
- Available Functions
Print, Copy and Scan

Print Specifications

- Print Speed
Single sided: Up to 18 ppm (A4)
Up to 38 ppm (A5-Landscape)
- Printing Method
Colour laser beam printing
- Print Resolution
Up to 1200 x 1200 dpi
- Warm-up Time
Approx. 13 seconds or less from power on
- First-Print-Out Time
Colour approx.: 10.5 seconds or less
Mono approx.: 10.4 seconds or less
- Printer Languages
UFRII
- Fonts
45 PCL fonts
- Print Margins
5 mm-top, bottom, left and right
10 mm-top, bottom, left and right (Envelope)
- Toner Saver Mode

Yes

- Advanced Printing Features

Secure Print

Print from USB memory key (JPEG/TIFF/PDF)

Print from Cloud (Dropbox, GoogleDrive, OneDrive)¹ (PDF/JPEG)

iOS: AirPrint, Canon PRINT Business app

Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app

Copy Specifications

- Copy Speed

Single sided (A4): Up to 18 ppm

- First-Copy-Out Time

Platen (A4):

Colour Approx. 13.4 seconds or less

Mono Approx. 11.4 seconds or less

- Copy Resolution

Up to 600 x 600 dpi

- Copy Modes

Text/Photo/Map (Default), Text/Photo/Map (quality), Printed Image, Text

- Multiple Copies

Up to 999 copies

- Reduction / Enlargement

25-400% in 1% increments

- Other Features

Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy

Scan Specifications

- Standard Type

Colour

- Scan Resolution

Optical: Up to 600 x 600 dpi

Enhanced: Up to 9600 x 9600 dpi

- Scan Speed

Mono: 27ipm (300x600dpi),

Colour: 14ipm (300x600dpi)

- Colour Scanning Depth

24 bit/24 bit (input/output)

- Greyscales

256 levels

- Compatibility

TWAIN, WIA, ICA

- Maximum Scan Width

216mm

- Scan to E-mail

TIFF/JPEG/PDF/Compact PDF/Searchable PDF

- Scan to PC
TIFF/JPEG/PDF/Compact PDF/Searchable PDF
- Scan to USB Memory Key
TIFF/JPEG/PDF/Compact PDF/Searchable PDF
- Scan to FTP
TIFF/JPEG/PDF/Compact PDF/Searchable PDF
- Scan to Cloud
TIFF/JPEG/PDF/PNG²

Media Handling

- Scanner Type
Platen
- Paper Input (Standard)
250-sheet cassette
1-sheet manual feed slot
- Maximum Paper Input Capacity
251 sheets
- Paper Output
100-sheet
- Media Types
Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Coated paper, Label, Post card, Envelope
- Media Sizes
Cassette :
A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelop (COM10, DL, C5, Monarch), Custom sizes: Min. 76.2 x 127 mm
Max. 216 x 355.6 mm.

Multi-purpose tray:
A4, A5, A5 (Landscape), B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm
Max. 216 x 355.6 mm.
- Media Weights
Cassette: 60 to 163 g/m² (Up to 200 g/m² with Coated paper)
Multi-purpose tray: 60 to 163 g/m² (Up to 200 g/m² with Coated paper)

Interface & Software

- Interface Type
USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection
- Operating System Compatibility
Windows[®] 11 / Windows[®] 10 / Windows[®] 8.1 / Server[®] 2022
Mac OS X version 10.11 & up
Linux²
- Network Protocol
Print:
TCP/IP (LPD/Port9100/IPP/IPPS/WSD)
Scan:
Push Scan: File: FTP (TCP/IP), SMB3.0 (TCP/IP)
E-mail/I-Fax: SMTP (send), POP3 (receive)

Pull Scan: TCP/IP

Management:

SNMPv1, SNMPv3 (IPv4,IPv6)

Security: TLS1.3, IPSec, IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS)

Security (wireless):

Infrastructure Mode:

WEP (64/128 bit), WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES)

Access Point Mode:

WPA2-PSK (AES)

- Software and Printer Management

MF Scan Utility,

Remote User Interface (RUI),

Department ID Management,

Toner Status Tool,

iW Enterprise Management Console: Server-based software for centralised management of a fleet of devices

eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics.

Application Library

General Features

- Recommended Monthly Print Volume

250 - 2,500 pages per month

- Duty Cycle

Max. 30,000 pages per month³

- Processor Speed

800MHz x 2

- Memory

1GB

- Control Panel

12.7 cm LCD Colour Touch Screen

- Dimensions with Trays (W x D x H)

451 mm x 460 mm x 360 mm

- Installation Space (W x D x H)

651 mm x 1,046mm x 780 mm

- Weight

Approx. 18.9 Kg

- Operating Environment

Temperature: 10 to 30°C (50 to 86°F)

Humidity: 20 to 80% RH (no condensation)

- Power Source

220-240V (±10%) 50/60Hz (±2Hz)

- Power Consumption

Maximum: Approx. 850 W

Active printing: Approx. 370W

Standby: Approx. 11.0 W

Sleep mode: Approx. 0.8 W

Typical Electricity Consumption (TEC): 0.19 kWh/week⁸

For detailed information relating to Lot26 regulation, please go to: <http://www.canon->

Noise Levels

Sound Pressure⁴:

Active: 49 dB

Standby: Inaudible⁸

Sound Power⁴:

Active: 64dB or less

Standby: Inaudible⁵

Consumables

Cartridges

Cartridge 067 Black (1,350 pages ⁶)⁷

Cartridge 067H Black (3,130 pages ⁶)⁷

Cartridge 067 Cyan (1,250 pages ⁶)⁷

Cartridge 067H Cyan (2,350 pages ⁶)⁷

Cartridge 067 Magenta (1,250 pages ⁶)⁷

Cartridge 067H Magenta (2,350 pages ⁶)⁷

Cartridge 067 Yellow (1,250 pages ⁶)⁷

Cartridge 067H Yellow (2,350 pages ⁶)⁷

duplex	Van
kijelző mérete	12,7cm
max havi kapacitás	30000
max nyomtatási papírformátum	A4
multifunkciós	Van
nyomtató típusa	lézernyomtató
színes	Van
szkenner	Van
Wi-Fi	Van
Gyártó	Canon
kijelző típusa	LCD
LAN	Van
másoló	Van
memória mérete	1024
monokróm nyomtatási sebesség (lap/perc)	18
nyomtatási felbontás	1200x1200
processzor magok száma	2
processzor órajele	800
színes nyomtatási sebesség	18
tömeg	19 kg

USB2.0	Van
magasság	360 mm
mélység	460 mm
szélesség	451 mm
szín	fehér-fekete