

Synology DS423+ NAS



Intel Celeron J4125 (4×2GHz), 2GB, DDR4 - SODIMM, beépíthető
meghajtók száma: 4db, 3,5", SATA3, M.2: 2db, RAID: RAID 0, 1, 5, 6, 10,
JBOD, USB3.0: 2db, LAN (1Gb/s): 2db, fekete

Cikkszám: DS423+

Ár:

292 830 Ft

Garancia: 3 Év

CPU	CPU Model	Intel Celeron J4125
	CPU Quantity	1
	CPU	64-bit
	Architecture	
	CPU	4-core 2.0 (base) / 2.7 (turbo) GHz
	Frequency	
	Hardware	
	Encryption	Igen
	Engine (AES-NI)	

Memory	System	2 GB DDR4 non-ECC SODIMM
	Memory	
	Total Memory ₁	
	Slots	
	Maximum	
	Memory	6 GB (2 GB + 4 GB)
	Capacity	

- Synology reserves the right to replace memory modules with the same or higher frequency based on supplier's product life cycle status. Rest assured that the compatibility and stability have been strictly verified with the same benchmark to ensure identical performance.
- Please select Synology memory modules for optimum compatibility and reliability. Synology will not provide complete product warranty or technical support if non-Synology memory modules are used for memory expansion.
- For more information about the recommended memory configurations, please check the Hardware Installation Guide of your Synology product.

Notes

Storage	Drive Bays	4
	M.2 Drive	2 (NVMe)
	Slots	
	Compatible	
	Drive	• 3.5" SATA HDD
	Type* (See	• 2.5" SATA SSD
	all supported	• M.2 2280 NVMe SSD
	drives)	
	Hot	
	Swappable	
	Drive*	

	Notes	<ul style="list-style-type: none"> • The hot swappable drive feature is not supported by M.2 SSD slots. • "Compatible drive type" indicates drives that have been tested to be compatible with Synology products. This term does not indicate the maximum connection speed of each drive bay.
External Ports	RJ-45 1GbE LAN Port*	2 (with Link Aggregation / Failover support)
	USB 3.2 Gen 1 Port*	2
	Notes	<ul style="list-style-type: none"> • This device's 1GbE LAN ports have a maximum transmission unit (MTU) size of 1,500 bytes. • The USB 3.0 standard was renamed to USB 3.2 Gen 1 by the USB Implementers Forum (USB-IF) in 2019.
File System	Internal Drives	<ul style="list-style-type: none"> • Btrfs • EXT4
	External Drives	<ul style="list-style-type: none"> • Btrfs • EXT4 • EXT3 • FAT • NTFS • HFS+ • exFAT
Appearance	Size (Height x Width x Depth)	166 mm x 199 mm x 223 mm
	Weight	2.18 kg
Others	System Fan	92 mm x 92 mm x 2 pcs
	Fan Speed Mode	<ul style="list-style-type: none"> • Full-Speed Mode • Cool Mode • Quiet Mode
	Brightness Adjustable Front LED Indicators	1gen
	Power Recovery	1gen
	Noise Level*	19.8 dB(A)
	Scheduled Power On / Off	1gen
	Wake on LAN / WAN	1gen
	Power Supply Unit / Adapter	90 W
	AC Input Power	100V to 240V AC
	Voltage	
	Power Frequency	50/60 Hz, Single Phase
	Power Consumption	28.3 W (Access)
	British Thermal Unit	8.45 W (HDD Hibernation)
	Thermal Unit	96.5 BTU/hr (Access)
		28.81 BTU/hr (HDD Hibernation)
	Notes	<ul style="list-style-type: none"> • For more information on how power consumption is measured, refer to this article. • Noise testing was conducted with the Synology system fully installed with Synology SATA HDDs and in an idle state. Two G.R.A.S. Type 40AE microphones are placed at a 1 m distance from the front and rear of the device. Background

Temperature	Operating Temperature	0°C to 40°C (32°F to 104°F)
	Storage Temperature	-20°C to 60°C (-5°F to 140°F)
Certification	Relative Humidity	5% to 95% RH
		<ul style="list-style-type: none">FCCCEBSMIVCCI
		<ul style="list-style-type: none">RCMUKCAEACCCCKC
Warranty		3-year hardware warranty, extendable to 5 years with EW201 or Extended Warranty Plus
		<ul style="list-style-type: none">Availability varies by region. Before purchasing, please visit the official web pages of EW201/202 and Extended Warranty Plus for a list of eligible regions.
	Notes	<ul style="list-style-type: none">The warranty period starts from the purchase date as stated on your purchase receipt. (Learn more)
Environment		RoHS Compliant
		<ul style="list-style-type: none">Main Unit X 1Accessory Pack X 1
Packaging Content		<ul style="list-style-type: none">AC Power Adapter X 1AC Power Cord X 1RJ-45 LAN Cable X 2Quick Installation Guide X 1
Optional Accessories		<ul style="list-style-type: none">DDR4 non-ECC SODIMM: D4NESO-2666-4G3.5" SATA HDD: HAT53002.5" SATA SSD: SAT5210M.2 2280 NVMe SSD: SNV3410VisualStation: VS360HDSurveillance Device License Pack
	Notes	All memory modules will operate at the maximum frequency specified by the CPU manufacturer.

LAN (1Gb/s)	2
Gyártó	Synology
beépítési méret	3,5"
beépíthető meghajtók száma	4
belső csatlakozó	SATA3
fogyasztás	28,3
M.2 foglalat	2 db
memória foglalat típusa	DDR4 - SODIMM
memória foglalatok száma	1 db
memória maximális mérete	6
memória modulok száma	1

processzor	Intel Celeron J4125 (4×2GHz)
RAID	RAID 0, 1, 5, 6, 10, JBOD
tömeg	2.18 kg
USB3.0	2
szín	fekete