

TP-Link Deco X10 AX1500 Dual-Band Wi-Fi mesh system
kit (3db)



1500Mb/s, IEEE 802.11a/b/g/n/ac/ax (Wi-Fi 6), LAN (1Gb/s): 2 port,
antennák száma: 2db, Mesh Wi-Fi, fehér

Cikkszám: DECO X10 (3-PACK)

Ár:

83 340 Ft

SECURITY

- Network Security
 - SPI Firewall
 - Access Control
- Guest Network
 - 1× 5 GHz Guest Network
 - 1× 2.4 GHz Guest Network
- WiFi Encryption
 - WPA-Personal
 - WPA2-Personal
 - WPA3-Personal

WIRELESS

- Standards
 - Wi-Fi 6
 - IEEE 802.11ax/ac/n/a 5 GHz
 - IEEE 802.11n/b/g 2.4 GHz
- WiFi Speeds
 - AX1500
 - 5 GHz: 1201 Mbps (802.11ax)
 - 2.4 GHz: 300 Mbps (802.11n)
 - 1-2 Bedroom Houses (1-pack)
 - 2-4 Bedroom Houses (2-pack)
 - 3-5 Bedroom Houses (3-pack)

- WiFi Range
 - TP-Link Mesh Technology
 - Optional Ethernet backhaul work together to link Deco units to provide seamless coverage
 - 2× Antennas (Internal)
 - Multiple antennas form a signal-boosting array to cover more directions and large areas
 - Beamforming
 - Concentrates wireless signal strength towards clients to expand WiFi range
 - High

- WiFi Capacity
 - Dual-Band
 - Distribute devices to different bands for optimal performance
 - 2×2 MU-MIMO
 - Simultaneously communicates with multiple MU-MIMO clients
 - OFDMA

- Simultaneously communicates with multiple WiFi 6 clients
- 4 Streams
- More than enough bandwidth for connected devices
- Working Modes

Router Mode
- Access Point Mode

HARDWARE

- 2× Gigabit Ports

Ethernet Ports

- *Per Deco Unit
- Supports WAN/LAN auto-sensing
- Reset Button

Buttons

SOFTWARE

Protocols

- IPv4
- IPv6

Parental Controls

Parental Controls

- Custom Profiles
- Professional Content Filter Library
- Family Time
- Bedtime
- Off Time
- Time Rewards
- Family Online Time Ranking
- Pause the Internet
- Weekly and Monthly Reports
- Dynamic IP

WAN Types

- Static IP
- PPPoE
- PPTP
- L2TP

Quality of Service

- QoS by Device
- OTA Firmware Upgrade

Cloud Service

- TP-Link ID
- DDNS

NAT Forwarding

- Port Forwarding
- UPnP

IPTV

- IGMP Proxy
- IGMP Snooping
- Bridge
- Tag VLAN

DHCP

- Address Reservation
- DHCP Client List

DDNS

- Server
- TP-Link

Management

- Deco App

TEST DATA

WiFi Transmission Power

- CE:
- <20 dBm (2.4 GHz)
- <30 dBm (5 GHz)
- FCC:
- <30 dBm (2.4 GHz)
- <30 dBm (5 GHz)

PHYSICAL

Dimensions (W×D×H)

- 4.33 × 4.33 × 4.49 in
(110 × 110 × 114 mm)
- Deco X10 (3-pack)**
- 3 Deco X10 Units
- 1 RJ45 Ethernet Cable
- 3 Power Adapters

Quick Installation Guide

Package Contents

Deco X10 (2-pack)
2 Deco X10 Units
1 RJ45 Ethernet Cable
2 Power Adapters
Quick Installation Guide

Deco X10 (1-pack)
1 Deco X10 Unit
1 RJ45 Ethernet Cable
1 Power Adapter
Quick Installation Guide

OTHERS

System Requirements Android 5.0 or later
iOS 9.0 or later
*Note: The minimum system requirements will be updated alongside updates to the app, subject to official website information.

Certifications CE, FCC, RoHS, JPA, JRF, VCCI, NCC, BSMI

Environment Operating Temperature: 0?~40? (32? ~104?)
Storage Temperature: -40?~60? (-40? ~140?)
Operating Humidity: 10%~90% non-condensing
Storage Humidity: 5%~90% non-condensing

Dual-Band	Van
LAN (1Gb/s)	2
Mesh Wi-Fi	Van
Wi-Fi átviteli sebesség	1500
Wi-Fi jeltípus	IEEE 802.11a/b/g/n/ac/ax (Wi-Fi 6)
Wi-Fi titkosítás	WPA3;WPA2-PSK
Gyártó	TP-Link
antenna típusa	belső
antennák száma	2
cikknév kiegészítés	(3db)
kit	Van
szülői felügyelet	Van
WI-FI	Van
szín	fehér