

D-Link DNH-100 Nuclias Connect Hub Wi-Fi access point controller

LAN (1Gb/s): 1 port, USB3.0, energiafelhasználás: 6,5W, fehér

Cikkszám: DNH-100

Ár:

77 100 Ft



Garancia: 2 Év

Specifications

10/100/1000Base-T	1
Optional 10G Uplink Module	N/A
Combo 10/100/1000Base-T/SFP	N/A
Console Port	RJ-45
USB Port (2.0)	1 (3.0)
Maximum Access Points per unit (default/ upgrade*)	100
Maximum Access Points per cluster (default/ upgrade*)	100
AP Auto Discovery	Yes
AP Monitoring	Yes
AP Authentication by External RADIUS	Yes
AP Authentication by Local Database	Yes
Auto Power Management	Yes
Auto Channel Management	Yes
Centralized Firmware Upgrade	Yes
Visualization Management	Yes
Remote AP Reboot	Yes
Connection mode between controller and AP	Bridge
Multi-tenant	Yes
NAT pass through (Controller can manage APs behind NAT)	Yes
Device Clustering	No
Device Clustering per Group	No
Configuration Push within Group	Yes
802.3af PoE	N/A
802.3at PoE	N/A
PoE Power budget	N/A
PoE Power budget with RPS	N/A
802.3at (Per Port)	N/A
Captive Portal	Yes
External User Database - RADIUS	Yes
External User Database - POP3	Yes
External User Database - LDAP	Yes
Local User Database	Yes
TACACS+	No
802.1X	Yes
Client Monitoring	Yes

Client Classification	Yes
Ad-hoc Client Monitoring	No
Location Tracking	No
L2 Fast Roaming	No
L3 Fast Roaming	No
TKIP/AES Encryption	Yes
WPA/WPA2-Enterprise	Yes
WPA/WPA2-Personal	Yes
Rogue AP Detection & Mitigation	No
Rogue Client Detection & Mitigation	No
WLAN MAC Filtering	Yes
Hidden SSID	Yes
AP Station Isolation	Yes
AP Classification	Yes
WIDS	No
Wireless Multimedia (WMM)	Yes
802.1p Priority Queues	No
CoS-based QoS	No
Per-port Traffic Shaping	N/A
Per-flow Bandwidth Control	No
Per-queue Minimum Bandwidth Guarantee	No
802.1Q VLAN Tagging	Yes
802.1V Subnet-based VLAN	No
MAC-based VLAN	No
Port-based VLAN	N/A
GVRP	N/A
Static VLAN	Yes
Voice VLAN	N/A
VLAN Numbers	N/A
Dynamic VLAN	Yes
Double VLAN (Q-in-Q)	N/A
Switching Capacity	N/A
Max. Packet Forwarding Rate	N/A
MAC Address Table Size	N/A
Packet Buffer Size	N/A
Telnet Client	No
Telnet Server	Yes
TFTP Server	No
TFTP Client	No
SNMP (v1,v2c,v3)	No
SNTP	No
NTP	Yes
sFlow	No
Multiple Configuration Files	Yes
Dual Images	Yes
RMONv1	No
DHCP / BootP Client	No
DHCP Server	No
DHCP Relay	No
SYSLOG	Yes
SSH	Yes
HTTP	No
HTTPS	Yes
Command Line Interface (CLI)	Yes
802.1D Spanning Tree (STP)	N/A
802.1w Rapid Spanning Tree (RSTP)	N/A
802.1s Multiple Spanning Tree (MSTP)	N/A
IGMP Snooping	N/A
LLDP-MED	N/A
Many-to-One Mirroring	N/A
One-to-One Mirroring	N/A

MLD Snooping	N/A
Maximum Jumbo Frame (KB)	N/A
IPv6 Static Route	N/A
IPv4 Static Route	N/A
Routing Table Size	N/A
ARP Proxy	N/A
OSPF	N/A
RIP v1/ v2	N/A
LAN MAC Filtering	N/A
Broadcast Storm Control	N/A
DHCP Filtering	N/A
DHCP Snooping	N/A
Dynamic ARP Inspection (DAI)	N/A
802.3ad Link Aggregation	N/A
Link Aggregation Group Per Device	N/A
Max Port Per Link Aggregation Group	N/A
VRRP	N/A
WAN Fail-over**	No
Firewall Policy	No
Numbers of Firewall Policy	N/A
Policy-based route	No
NAT, PAT	No
Outbound Load Balancing	No
Dynamic DNS	No
IPSec VPN Tunnel	No
PPTP / L2TP VPN Tunnel	No
IPSec Nat Traversal	No
VPN Tunnel Keep Alive	No
Dead Peer Detection	No
Hub and Spoke	No
SSL VPN Tunnel	No
Encryption Methods (DES/3DES/AES/Twofish/Blowfish/CAST-128/Null)	No
IP Encapsulating Security Payload (ESP)	No
IP Authentication Header(AH)	No
SSL Encryption Methods (DES/3DES/AES)	No
SSL Message Integrity (MD5/SHA1)	No
Static Web Content Filtering - Key word / URL	No
Dynamic Web Content Filtering (Category)	No
Rackmount	19 inch
Dimension	190 x 100 x 31 mm
Weight	529 g
Operation Temperature	0 ~ 40 °C
Storage Temperature	- 20 ~ 70 °C
Operation Humidity	10% ~ 90% RH
Storage Humidity	5% ~ 95% RH
Power Supply	AC:100 ~ 240 V, 50/60 Hz
Power Consumption	6.5 W
Redundant Power Supply Support	No
Redundant Power Supply Module	No
Heat Dissipation	N/A
Acoustic	0 dB (fanless)
MTBF	260,000 hrs
FCC	Class B
CE	Yes
C-Tick	Yes
VCCI	Yes
BSMI	Yes
ICES-003	N/A
EN 60601-1-2	No
Safety Certifications (cUL)	Yes
Safety Certifications (CB)	Yes
Safety Certifications (LVD (En60950-1))	Yes

AP License Upgrade
Advanced Feature Lincense Upgrade

N/A
N/A

Gyártó	D-Link
--------	--------