

TP-Link Tapo C212 Wi-Fi smart home IP kamera



3MP, 3,83mm F2.4 1/2.8" CMOS, Ethernet (100Mb/s), Wi-Fi, beépített mikrofon, beépített hangszóró, forgatható, 2304x1296, 30fps, alakfelismerés, mozgásérzékelő, éjszakai mód, microSD, fehér, H.265;H.264

Cikkszám: TAPO C212

Ár:

22 160 Ft

Image Sensor:

1/2.8" Progressive Scan CMOS Not Starlight Sensor

Lens:

Focal Length: 3.83mm

Aperture: F2.4Field of View:107.52° (Diagonal),
88.11°(Horizontal), 46.65°(Vertical)

Motion Range:

Pan Mechanical Range: 340° (360° Pan Coverage)

Tilt Mechanical Range: 70° (116.65° Tilt Coverage)

Night Vision:

850 nm IR LED (30 ft / 10 m)

Lighting:

/

Interface & Button :

1× RESET Button

1× microSD Card Slot (Up to 512 GB)

Hub Compatibility:

/

HUB

Device Compatibility:

/

Connection Capacity:

/

Interface & Button:

/

VIDEO & AUDIO

Maximum Resolution:

2K 3MP (2304 x 1296 px)

Frame Rate:

15/20/25/30 fps (Default 15 fps, can be set up to 30 fps)

Digital Zoom:

None

Video Compression:

H.264/H.265

Live View:

Yes

Image Enhancement:

3D DNR WDR

Audio Input & Output:

Built-in Microphone and Speaker

Audio Communication:

Two-Way Audio with Noise Cancellation

Siren Volume:

90dB (Level measured at 4-inch/10-cm distance)

STORAGE

Local Storage:

MicroSD Card Slot on Camera (Up to 512 GB)

General Information about using MicroSD Cards >

Cloud Storage:

Tapo Care Cloud Storage Services (Subscription required)

DETECTION and NOTIFICATIONS

Sensor:

/

AI Detection:

Motion Detection

Person Detection

BabyCry Detection

Activity Zones:

Yes

Output Notification :

System Notification

System Notification with Snapshot (Tapo Care Services)

NETWORK

Network Connectivity:

Connect via Wi-Fi or Ethernet cable

Wireless Connectivity:

IEEE 802.11b/g/n, 2.4 GHz Wi-Fi

Ethernet Port:

1× 100 Mbps RJ45 Port on Camera

RTSP:

Yes

ONVIF:

Yes (Profile S)

SECURITY

On-Device Machine Learning
128-bit AES Encryption with SSL/TLS
WPA/WPA2-PSK

GENERAL

Smart Integration:

Google Assistant, Amazon Alexa

Weather Resistance:

/

System Requirements :

Tapo App: iOS 9.0 or higher, Andriod 4.4 or higher

Mounting Options:

Tabletop
Ceiling-Mounted

Operating Temperature:

0?~40?

Storage Temperature:

-40?~70?

Operating Humidity:

10%~95%RH

Storage Humidity:

5%~90%RH

Charging Temperature:

/

Certifications:

/

PACKAGE CONTENTS

Tapo Pan/Tilt Home Security Wi-Fi Camera
Power Adapter
Quick Start Guide
Mounting Screws
Mounting Plate
Camera Base

alakfelismerés	Van
beépített hangszóró	mono
érzékelő felbontása	3MP
látószög	107°

smart home	Van
videó felbontása	2304x1296
Gyártó	TP-Link
beépített mikrofon	Van
csatlakozó	Ethernet (100Mb/s)
döntési szög	70
éjszakai mód	Van
érzékelő típusa	3,83mm F2.4 1/2.8" CMOS
forgatási szög	360
forgatható	Van
kamera rögzítés típusa	mennyezetre rögzíthető
memóriakártya foglalat	microSD
mozgásérzékelő	Van
rögzítési formátumok	H.265;H.264
rögzítési sebesség	30
WI-FI	Van
szín	fehér