

TP-Link Archer AX23 AX1800 Dual-Band Wi-Fi router



1775Mb/s, IEEE 802.11a/b/g/n/ac/ax (Wi-Fi 6), WAN (1Gb/s): 1 port, LAN (1Gb/s): 4 port, antennák száma: 4db, médiaszerver, fekete, 3×1,5GHz CPU

Cikkszám: ARCHER AX23

Ár:

29 390 Ft

Garancia: 3 Év

- Standards**
 - Wi-Fi 6**
 - IEEE 802.11ax/ac/n/a 5 GHz
 - IEEE 802.11ax/n/b/g 2.4 GHz
 - AX1800**
- WiFi Speeds**
 - 5 GHz: 1201 Mbps (802.11ax)
 - 2.4 GHz: 574 Mbps (802.11ax)
 - 3 Bedroom Houses**

- WiFi Range**
 - 4× Fixed High-Performance Antennas
 - Multiple antennas form a signal-boosting array to cover more directions and large areas
 - Beamforming
 - Concentrates wireless signal strength towards clients to expand WiFi range
 - High**

- WiFi Capacity**
 - Dual-Band
 - Allocate devices to different bands for optimal performance
 - OFDMA
 - Simultaneously communicates with multiple Wi-Fi 6 clients

- Working Modes**
 - Airtime Fairness
 - Improves network efficiency by limiting excessive occupation
 - 4 Streams
 - Connect your devices to more bandwidth
 - Router Mode
 - Access Point Mode

- HARDWARE**
- Processor**
 - Dual-Core CPU
- Ethernet Ports**
 - 1× Gigabit WAN Port
 - 4× Gigabit LAN Ports
- Buttons**
 - WPS/Wi-Fi Button
 - Power On/Off Button
 - LED On/Off Button
 - Reset Button
- Power**
 - 12 V ? 1 A

SECURITY

WiFi Encryption	WPA
	WPA2
	WPA3
	WPA/WPA2-Enterprise (802.1x)
	SPI Firewall
Network Security	Access Control
	IP & MAC Binding
	Application Layer Gateway
Guest Network	1× 5 GHz Guest Network
	1× 2.4 GHz Guest Network
VPN Server	OpenVPN
	PPTP

SOFTWARE

Protocols	IPv4
	IPv6
OneMesh™	OneMesh™ Supported
	Without replacing your existing devices or buying a whole new WiFi ecosystem, OneMesh™ helps you create a more flexible network that covers your entire home with TP-Link OneMesh™ products.
	Learn More>
	All OneMesh Products>
Parental Controls	URL Filtering
	Time Controls
	Dynamic IP
	Static IP
WAN Types	PPPoE
	PPTP
	L2TP
Quality of Service	QoS by Device
Cloud Service	Auto Firmware Upgrade
	OTA Firmware Upgrade
	TP-Link ID
	DDNS
NAT Forwarding	Port Forwarding
	Port Triggering
	DMZ
	UPnP
IPTV	IGMP Proxy
	IGMP Snooping
	Bridge
DHCP	Tag VLAN
	Address Reservation
	DHCP Client List
	Server
DDNS	TP-Link
	NO-IP
	DynDNS
Management	Tether App
	Webpage
	Check Web Emulator>

PHYSICAL

Dimensions (W×D×H)	10.2 × 5.3 ×1.5 in
	(260.2 × 135.0 × 38.6 mm)
Package Contents	Wi-Fi Router Archer AX23
	Power Adapter
	RJ45 Ethernet Cable
	Quick Installation Guide

OTHER

Internet Explorer 11+, Firefox 12.0+, Chrome 20.0+, Safari 4.0+, or other JavaScript-enabled browser

System Requirements	Cable or DSL Modem (if needed)
Certifications	Subscription with an internet service provider (for internet access) FCC, CE, RoHS
Environment	Operating Temperature: 0?~40? (32? ~104?) Storage Temperature: -40?~70? (-40? ~158?) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing
TEST DATA	
WiFi Transmission Power	CE: <20dBm(2.4 GHz) <23dBm(5.15 GHz~5.25 GHz) FCC: <30dBm(2.4 GHz & 5.15 GHz~5.825 GHz)

Gyártó	TP-Link
--------	---------