

TP-Link Deco BE65 BE11000 Tri-Band Wi-Fi mesh system
kit (2db)



11000Mb/s, IEEE 802.11be (Wi-Fi 7), LAN (2,5Gb/s): 4 port, USB3.0,
antennák száma: 4db, médiaszerver, Mesh Wi-Fi, smart home, fehér
Cikkszám: DECO BE65 (2-PACK)

Ár:
287 570 Ft

Garancia: 3 Év
VEZETÉK NÉLKÜLI

Standards	Wi-Fi 7
	IEEE 802.11be/ax 6 GHz
	IEEE 802.11be/ax/ac/n/a 5 GHz
WiFi Speeds	IEEE 802.11ax/n/b/g 2.4 GHz
	BE11000
	6 GHz: 5760 Mbps (802.11be)
	5 GHz: 4320 Mbps (802.11be)
	2.4 GHz: 574 Mbps (802.11ax)
	Broader Whole Home Coverage

WiFi Range	TP-Link Mesh Technology
	Optional Ethernet backhaul work together to link Deco units to provide seamless coverage
	AI-Driven Mesh
	Intelligently learns the network environment to provide ideal Wi-Fi unique to your home
	4× High-Performance Antennas (Internal)
	Multiple antennas form a signal-boosting array to cover more directions and large areas
	Tri-Band
	A newly-opened 6 GHz band brings more bandwidth and faster speeds
	Very High

WiFi Capacity	Tri-Band
	Distribute devices to different bands for optimal performance
	2×2 MU-MIMO
	Simultaneously communicates with multiple MU-MIMO clients
	OFDMA
	Simultaneously communicates with multiple WiFi 7 clients
	6 Streams
	More than enough bandwidth for connected devices

- Working Modes

Router Mode
Access Point Mode
 - Multi-Link Operation (MLO)
 - 320 MHz Channel
- Advanced Functions

- 4K-QAM
 - Multi-RUs
 - Works with Alexa and Google Assistant

BIZTONSÁG

- SPI Firewall
- Access Control

HomeShield Security

Network Security

- Real-Time IoT Protection
- Malicious Site Blocker
- Intrusion Prevention System
- DDoS Attack Prevention
- Home Network Scanner
- 1× 6 GHz Guest Network
- 1× 5 GHz Guest Network
- 1× 2.4 GHz Guest Network

Guest Network

VPN Server

- Effective Time
- Bandwidth Control
- OpenVPN Server
 - PPTP VPN Server
 - L2TP/IPSec VPN Server

VPN Client

- OpenVPN Client
 - PPTP VPN Client
 - L2TP/IPSec VPN Client

WiFi Encryption

- WPA-Personal
- WPA2-Personal
- WPA3-Personal

HARDWARE

- 4× 2.5 Gbps

Ethernet Ports

- *Per Deco Unit
- Supports WAN/LAN auto-sensing
- 1× USB 3.0 Port

USB Support

- FTP Server
- Media Server
- Apple Time Machine
- Samba Server

Buttons

- 1× Reset Button
- 1× WPS

SOFTWARE

Advanced Features

- Reboot Schedule
 - Tapo/Kasa Onboarding
- IoT network & Device Isolation
 - Static Routing Function
 - Node/Band Connection Preference

Protocols

- IPv4
- IPv6

Service Kits

- HomeShield
- Learn More>
- HomeShield Parental Controls

Parental Controls	Youtube Restriction
	SafeSearch
	Custom Profiles
	Professional Content Filter Library
	Family Time
	Bedtime
	Off Time
	Time Rewards
	Family Online Time Ranking
	Pause the Internet
	Weekly and Monthly Reports
	Dynamic IP
WAN Types	Static IP
	PPPoE
	PPTP
	L2TP
HomeShield QoS	
Quality of Service	
Cloud Service	QoS by Device
	OTA Firmware Upgrade
	TP-Link ID
NAT Forwarding	DDNS
	Port Forwarding
	UPnP
IPTV	IGMP Proxy
	IGMP Snooping
	Bridge
DHCP	Tag VLAN
	Address Reservation
	DHCP Client List
DDNS	Server
	TP-Link
	Deco App
Management	
PHYSICAL	
Dimensions (W×D×H) 4.23 × 4.23 × 6.93 in (107.5 × 107.5 × 176 mm)	
Package Contents	Deco BE65 (3-pack)
	3 Deco BE65 units
	1 RJ45 Ethernet cable
	3 Power adapters
	Quick Installation Guide
	Deco BE65 (2-pack)
	2 Deco BE65 units
	1 RJ45 Ethernet cable
	2 Power adapters
	Quick Installation Guide
	Deco BE65 (1-pack)
	1 Deco BE65 unit
	1 RJ45 Ethernet cable
	1 Power adapter
	Quick Installation Guide
EGYÉB JELLEMZŐK	
Tanúsítványok CE, FCC, RoHS	
Környezet	Operating Temperature: 0°C~40°C (32 °F~104 °F)
	Storage Temperature: -40°C~60°C (-40 °F~140 °F)
	Operating Humidity: 10%~90% RH
	Storage Humidity: 5%~90% RH

LAN (2,5Gb/s)	4
médiaszerver	Van
Mesh Wi-Fi	Van
smart home	Van
Tri-Band	Van
USB3.0	1
Wi-Fi átviteli sebesség	11000
Wi-Fi jeltípus	IEEE 802.11be (Wi-Fi 7)
Wi-Fi titkosítás	WPA3;WPA2-PSK
Gyártó	TP-Link
antenna típusa	belső
antennák száma	4
cikknév kiegészítés	(2db)
kit	Van
szülői felügyelet	Van
WI-FI	Van
szín	fehér