

TP-Link Deco X10-4G AX1500 Dual-Band Wi-Fi 4G+/LTE-A
mesh system (1db)



1500Mb/s, IEEE 802.11a/b/g/n/ac/ax (Wi-Fi 6), WAN (1Gb/s): 3 port, LAN (1Gb/s): 3 port, SIM kártya foglalat, 4G+/LTE-A, antennák száma: 2db, Mesh Wi-Fi, smart home, fehér

Cikkszám: DECO X10-4G (1-PACK)

Ár:

73 630 Ft

Garancia: 3 Év
VEZETÉK NÉLKÜLI

Standards Wi-Fi 6
IEEE 802.11ax/ac/n/a 5 GHz
IEEE 802.11n/b/g 2.4 GHz
AX1500
WiFi Speeds 5 GHz: 1201Mbps (802.11ax)
2.4 GHz: 300 Mbps (802.11n)
1-2 Bedroom Houses (1-pack)

WiFi Range TP-Link Mesh Technology
Optional Ethernet backhaul work together to link Deco units to provide seamless coverage

2 LTE antennas, 2 Wi-Fi antennas (Internal)
Multiple antennas form a signal-boosting array to cover more directions and large areas
High

WiFi Capacity Dual-Band
Distribute devices to different bands for optimal performance

2x2 MU-MIMO
Simultaneously communicates with multiple MU-MIMO clients

OFDMA
Simultaneously communicates with multiple WiFi 6 clients

4 Streams
More than enough bandwidth for connected devices

Working Modes 3G/4G, Router, Access Point

BIZTONSÁG

Network Security SPI Firewall
Access Control

Guest Network 1x 5 GHz Guest Network
1x 2.4 GHz Guest Network

WiFi Encryption WPA-Personal
WPA2-Personal

HARDWARE**Ethernet Ports**

3× Gigabit Ports

Buttons

Supports WAN/LAN auto-sensing

RESET Button

2× 3G/4G external SMB antenna interface (also provide 2x SMB to SMA-F Adapters)

SIM Card Format: Nano-SIM

Compatibility**Ports and Connections**

4G:

FDD-LTE: B1/B3/B5/B7/B8/B20/B28 (2100/1800/850/2600/900/800/700 MHz)

TDD-LTE: B38/B40/B41 (2600/2300/2500 MHz)

3G: DC-HSPA+/HSPA/UMTS B1/B5/B8 (2100/850/900 MHz)

SOFTWARE**Protocols**

IPv4

IPv6

Custom Profiles

Professional Content Filter Library

Family Time

Bedtime

Parental Controls

Off Time

Time Rewards

Family Online Time Ranking

Pause the Internet

Weekly and Monthly Report

Dynamic IP

Static IP

WAN Types

PPPoE

L2TP

PPTP

Quality of Service

QoS by Device

OTA Firmware Upgrade

Cloud Service

TP-Link ID

DDNS

NAT Forwarding

Port Forwarding

UPnP

IGMP Proxy

IPTV

IGMP Snooping

Bridge

Tag VLAN

Address Reservation

DHCP

DHCP Client List

Server

DDNS

TP-Link

Management

Deco App

TEST DATA

CE:

WiFi Transmission Power

≤20 dBm (2.4GHz)

≤23 dBm (5GHz)

PHYSICAL**Dimensions (W×D×H)**

4.13 × 4.13 × 6.57 in (105 × 105 × 167 mm)

EGYÉB JELLEMZŐK**Tanúsítványok**

CE, RoHS

1-pack

1 Deco X10-4G unit

1 RJ45 Ethernet Cable

1 Power Adapter

2 SMB to SMA Adapters

Quick Installation Guide

Operating Temperature: 0°C~40°C (32°F~104°F)

Csomagolás tartalma

Környezet

Storage Temperature: -40°C~60°C (-40°F~140°F)
Operating Humidity: 10%~90%RH
Storage Humidity: 5%~90%RH

Dual-Band	Van
Dual-personality Ethernet port	3
LAN (1Gb/s)	3
Mesh Wi-Fi	Van
SIM kártya foglalat	Van
smart home	Van
WAN (1Gb/s)	3
Wi-Fi átviteli sebesség	1500
Wi-Fi jeltípus	IEEE 802.11a/b/g/n/ac/ax (Wi-Fi 6)
Wi-Fi titkosítás	WPA3;WPA2-PSK
Gyártó	TP-Link
antenna típusa	belső
antennák száma	2
cikknév kiegészítés	(1db)
mobil internet	4G+/LTE-A
szülői felügyelet	Van
WI-FI	Van
szín	fehér