

TP-Link VIGI NVR1004H hálózati video rögzítő NVR

beépíthető meghajtók száma: 1db, SATA3, USB2.0, D-Sub: 1db, HDMI
kimenet: 1db, LAN (100Mb/s): 1db, 4-csatornás, H.265+, fekete

Cikkszám: VIGI NVR1004H

Ár:

84 460 Ft



Garancia: 3 Év

VIDEO AND AUDIO

IP Video Input 4-Channel

Incoming Bandwidth 80 Mbps

Outgoing Bandwidth 60 Mbps

HDMI Output Resolution 1 Channel, Resolution: 3840 × 2160/30Hz, 1920 × 1080/60Hz, 1680 × 1050/60Hz, 1440 × 900/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz

VGA Output Resolution 1 Channel, Resolution: 1920 × 1080/60Hz, 1680 × 1050/60Hz, 1440 × 900/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz

Video Output Mode HDMI/VGA Simultaneous Output

Multi-View Display 1/4

DECODING

Audio Compression G.711A/G.711U/G.726

Video Compression H.265+/H.265/ H.264+/H.264

Record Resolution 8 MP / 5 MP / 4 MP / 3 MP / 1080p / UXGA / 720p / VGA / 4CIF / DCIF / 2CIF / CIF / QCIF

Synchronous Playback 4-Channel

Capability 2-ch @ 8MP, 4-ch @ 4MP

RECORD MANAGEMENT

Record Mode

- Manual Recording
- Scheduling Recording
- Motion Detection Recording

Playback Mode

- Instant Playback
- Regular Playback
- Tag Playback
- Event Playback

Backup Mode

- Regular Backup
- Video Clip Backup
- Play
- Pause
- Stop

Playback Function

- Fast Forward
- Fast Backward
- Play By Frame
- Full Screen
- Video Clip
- Export Clip

	• Digital Zoom • Lock Recording • Audio On/Off
HÁLÓZAT	
Szabvány	UPnP (Plug and Play), NTP (Network Timing)
Mobile Phone Access	Android, iOS
Web Browser	Chrome (57+), Firefox (52+), Edge (91+)
Interoperability	ONVIF, CGI
EXTERNAL INTERFACE	
Network Interface	1, RJ-45 10/100 Mbps Self-Adaptive Ethernet Interface
USB Interface	2× USB 2.0
Audio Interface	1, Audio In; 1, Audio Out
Alarm In/Out	N/A
Serial Interface	N/A
Power	1× DC Jack
Reset Button	1
Speaker	N/A
eSATA	N/A
HDMI	1
VGA	1
HARD DISK	
SATA	1 SATA Interface
Capacity	Up to 10 TB Capacity for Each HDD*
ALARM	
	• Motion Detection • Video Tampering • Line-Crossing Detection • Intrusion Detection
General Alarm	• Region Entering Detection • Region Exiting Detection • Object Abandoned/Removal Detection • Vehicle Detection • Human Detection • Smart Frame • Video Loss
Anomaly Alarm	• Offline and IP Conflict • Disk Exception • Login Exception • Recording • White Light Alarm
Alarm Linkage	• Buzzer • Log • Audible Alarm
ÁLTALÁNOS	
Storage Temperature	-40~70 °C
Storage Humidity	10%~90% RH Non-Condensing
	• VIGI Network Video Recorder • Power Adapter • HDD Screws • Mouse • Rubber Feet • Quick Installation Guide • NVR: -10~55 °C • Power Adapter: 0~40 °C
Csomagolás tartalma	
Working Temperature	
Working Humidity	10%~90% RH Non-Condensing
Méretek (Sz x Mé x Ma)	246.2 × 148.2 × 45 mm
Külső tápellátás	DC 12V/1.5A
Net Weight	0.59 kg
Gross Weight	0.95 kg
Power Consumption	4.25 W (Without Disk)
Certifications	CE, EAC, UKCA, RCM, Triman, BSMI, VCCI, FCC, IC, HDMI

cikk kiegészítés	4-csatornás, H.265+
LAN (100Mb/s)	1
Gyártó	TP-Link
audió kimenet	1
beépíthető meghajtók száma	1
belső csatlakozó	SATA3
D-Sub	1
fogyasztás	18
USB2.0	2 db
szín	fekete