

StarTech USB-A 3.0 -> DVI-I HDMI F/F adapter fekete Dual monitor

Cikkszám: USB32HDDVII

Ár:

61 150 Ft



The USB32HDDVII USB 3.0 to HDMI® and DVI-I Dual Head Adapter turns an available USB 3.0 port into one DVI-I or VGA port (DVI to VGA adapter included) and one HDMI® output, with support for high-definition 1080p and 1920x1200 video and 5.1 surround sound audio (from HDMI® port only).

The adapter delivers a convenient external video solution that makes it easy to add multi-monitor capability to a USB enabled desktop or laptop computer (optimal performance from USB 3.0, backward compatible with USB 2.0).

Leveraging the high-bandwidth (5 Gbps) SuperSpeed USB 3.0 interface, the USB video adapter functions as a convenient external graphics card that eliminates having to open the computer case for video card installation. The adapter delivers smooth, high definition content to multiple displays and can be used to mirror your primary desktop, showing the same image on each display, or to extend your desktop onto a second or third monitor to double or triple your workspace and increase your productivity.

The USB 3.0 HDMI® and DVI-I Adapter is backed by a StarTech.com 2-year warranty and includes free lifetime technical support.

The StarTech.com Advantage

- With two video output ports, the dual head design of the adapter offers a compact multi-monitor solution across both HDMI® and DVI technology
- SuperSpeed USB 3.0 to HDMI/DVI conversion delivers improved bandwidth compared to a USB 2.0 connection for smoother high-definition video content
- The adapter is installed externally, through USB, which enables you to add graphics capability to your system without opening the case or voiding system warranties

Audio	Yes
Chipset ID	DisplayLink - DL3900
Industry Standards	Standard HDMI®, DVI-I, SuperSpeed USB 3.0, USB 2.0
Memory	1GB DDR II
Output Signal	DVI-I (DVI Digital/Analog) HDMI
USB Pass-Through	No

Performance

Audio	5.1-Channel Surround (48Khz)
-------	------------------------------

Specifications

General This USB video adapter uses a DisplayLink family chipset. If you're connecting this device to a computer along with additional USB video adapters or docking stations, please avoid using devices with a Trigger or Fresco family chipset.

Maximum Digital	2048x1152
-----------------	-----------

Resolutions	
Note	If using OS X 10.8, Apple update 10.8.3 must be installed before installing DisplayLink software. 10.8.3 fixes several serious OS X bugs exposed when DisplayLink software is installed.
Supported Resolutions	Widescreen(16/32 bit): 2048x1152, 1920x1200, 1920x1080, 1680x1050, 1600x900, 1440x900, 1368x768, 1366x768, 1360x768, 1280x800, 1280x768, 1280x720, 1024x600, 848x480, 800x480, 720X480

	Standard(16/32 bit): 1600x1200, 1400x1050, 1280x1024, 1280x960, 1152x870, 1152x864, 1024x768, 832x624, 800x600, 768X567, 640X480
--	-------------------------------------------------------------------------------------------------------------------------------------

Wide Screen Yes
Supported

Connector(s)

Connector A	1 - USB 3.0 A (9 pin; SuperSpeed) Male Input
Connector B	1 - DVI-I (29 pin) Female Output 1 - HDMI (19 pin) Female Output

Software

OS	Windows® 10 (32/64), 8/8.1 (32/64), 7 (32/64), Vista (32/64), XP (32/64), 2000 (Aero 3D interface supported)
Compatibility	Apple® OSX El Capitan (10.11), Yosemite (10.10), Mavericks (10.9) Mountain Lion (10.8), Lion (10.7), Snow Leopard (10.6)

Special Notes / Requirements

Note	Connect a maximum of three USB32HDDVII adapters on a single PC - See manual for system requirements
System and Cable	1~2 USB Displays Office Application:
Requirements	CPU: i3 Dual core 2.8GHz RAM: 2GB or higher Full HD Video: CPU: Quad Core 2.4GHz or Higher (i5 recommended) RAM: 4GB or higher

Power

Power Source USB-Powered

Environmental

Humidity	20°C to 80°C (68°F to 176°F)
Operating Temperature	0°C to 55°C (32°F to 95°F)
Storage Temperature	-5°C to 40°C (23°F to 104°F)

Physical Characteristics

Cable Length	6.3 in [160 mm]
Color	Black
Enclosure	Plastic
Type	
Product Height	0.7 in [19 mm]
Product Length	2.9 in [73 mm]
Product Weight	1.5 oz [42 g]
Product Width	2 in [50 mm]

Packaging Information

Shipping Weight (Package)	8.5 oz [240 g]
---------------------------	----------------

What's in the Box

Included in Package	1 - USB 3.0 to HDMI®/DVI-I Graphics Adapter 1 - DVI to VGA Adapter 1 - Mini USB 3.0 Cable 1 - Driver CD
---------------------	----------------------------------------------------------------------------------------------------------------------

Gyártó

StarTech