Szanex Bt.

Cégjegyzék szám: 05-06-005646 Adószám: 21302541-2-05

3700 Kazincbarcika, Dózsa Gy. út 24. szanex@szanex.hu (48) 512-880

# Brother ADS-1800W hordozható lapbehúzós szkenner



dokumentumszkenner, duplex, 600 DPI, A4, 30 lap/perc, Wi-Fi, USB2.0, USB-C, fehér-fekete

Cikkszám: ADS1800WTC1

152 700 Ft

Garancia: 2 Év

# **General Specifications**

**Memory Capacity** Standard ADS-1300: 256 MB

ADS-1350W/ADS-1800W: 512 MB

DC 5V. 3A \*1

**Power Source** 

AC Adapter \*2

• INPUT: AC 100 to 240 V 50/60 Hz

• OUTPUT: DC 5V, 3A

Touchscreen LCD (Liquid Crystal Display) \*3
Touchscreen 71.1 mm TFT Colour LCD (ADS-1800W)

## ADS-1300

 AC: Approximately 11 W DC: Approximately 9 W

## ADS-1350W

Scanning \*6

• AC: Approximately 11 W

DC: Approximately 9 W

# ADS-1800W

• AC: Approximately 12 W

• DC: Approximately 10 W

## ADS-1300

• AC: Approximately 5 W

DC: Approximately 4 W

### ADS-1350W

AC: Approximately 5.5 W

	Ready	• DC: Approximately 4.4 W			
		ADS-1800W  • AC: Approximately 6.4 W  • DC: Approximately 5.2 W			
Power Consumption *4 *5		ADS-1300  • AC: Approximately 1.3 W  • DC: Approximately 1 W			
	Sleep	ADS-1350W  • AC: Approximately 1.4 W  • DC: Approximately 1 W			
		ADS-1800W  • AC: Approximately 1.5 W  • DC: Approximately 1.1 W			
		ADS-1300  • AC: Approximately 0.1 W  • DC: Approximately 0.1 W			
	Power Down	ADS-1350W  • AC: Approximately 0.1 W  • DC: Approximately 0.1 W			
		ADS-1800W  • AC: Approximately 0.1 W  • DC: Approximately 0.1 W			
Dimensions		1: 85 mm 2: 288 mm 3: 205 mm			
Waights		4: 211 mm 5: 101 mm ADS-1300: Approximately 1.37 kg			

4: 211 mm
5: 101 mm
ADS-1300: Approximately 1.37 kg
Weights
ADS-1350W: Approximately 1.37 kg
ADS-1800W: Approximately 1.42 kg
ADS-1800W: Approximately 1.42 kg
Temperature
Operating
Storage
O°C to 40°C

Operating 20% to 80% Humidity 10% to 90% Storage

Up to 20 sheets

(Paper: 80 g/? A4/Letter size)

\*1

USB Type-C is supported.

ADF (Automatic Document Feeder)

\*2

The AC Adapter is an optional accessory and is available on the Brother website by searching for part number LK-1001C.

\*3

Measured diagonally.

\*4

Measured when the machine is connected to your computer.

\*5

When the USB port is connected.

\*6

When using 2-sided (duplex) colour scanning at resolutions 300 x 300 dpi.

# **Document Specifications**

Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Non Carbon Paper, Receipt, Paper Type

Recycled Paper, Business Card, Plastic Card

**Document Size** 

Width 50.8 mm to 215.9 mm

Length \*1 70 mm to 355.6 mm

Width Documents narrower than 50.8 mm

Carrier Sheet

Length Documents shorter than 70 mm Restrictions

ThicknessPages thinner than 0.08 mm

\*1

Up to 5000 mm when using the Long Paper function.

# **Scanner Specifications**

Colour/Monochrome Yes/Yes

TWAIN CompliantWindows Windows 10 / Windows 11 WIA Compliant Windows 10 / Windows 11 Windows

ICA Compliant (ADS-1300)

Mac macOS v11.x / macOS 12.x / macOS 13.x

Input 48 bit colour processing

Colour Depth Output 24 bit colour processing

InterpolatedUp to 1200 x 1200 dpi

Resolution

Optical Up to 600 x 600 dpi

Scanning Width Up to 215.9 mm

Greyscale 256 levels

Max. Speed For detailed specifications, visit www.brother.com.

Direct Scan Feature (Scan to USB) Specifications

Compatible MediaUSB flash drive \*1

Interface USB 2.0 Hi Speed

\*1

USB Mass Storage standard up to 128 GB

Supported formats: FAT12/FAT16/FAT32/exFAT

## **Interface Specifications**

USB 3.2 Gen1

USB Use a USB Type-A to USB Type-C Cable \*1 or a USB Type-C to USB Type-C Cable that supports USB

Super Speed or USB 2.0 High speed and is no more than 2.0 metres long.

2.4 GHz band

Wireless LAN

(ADS- IEEE 802.11b/g/n (Infrastructure Mode)

1350W/ADS-1800W)

IEEE 802.11g/n (Wi-Fi Direct) (ADS-1800W)

IEEE 802.11g/n (Wireless Direct) (ADS-1350W)

\*1

USB Type-A to USB Type-C Cables do not support USB power.

# **Network Specifications**

Wireless Network SecurityWEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES)

Setup Support Utility WPS

# **Supported Protocols and Security Features**

ADS-1350W

DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, SNMPv1/v2c/v3, ICMP, Web Services (Scan), SNTP Client

Protocol

(IPv4) •

ADS-1800W
 DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder,

SMTP Client, FTP/SFTP Client, CIFS Client, SNMPv1/v2c/v3, HTTP/HTTPS server, ICMP, Web

Services (Scan), SNTP Client

ADS-1350W

RA, DNS Resolver, mDNS, LLMNR responder, ICMPv6, Web Services (Scan), SNTP Client,

SNMPv1/v2c/v3

Protocol (IPv6)

• ADS-1800W

RA, DNS Resolver, mDNS, LLMNR responder, SMTP Client, FTP Client, CIFS Client, HTTP/HTTPS

server, ICMPv6, Web Services (Scan), SNTP Client, SNMPv1/v2c/v3

ADS-1350W

Network SSL/TLS (HTTPS), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS)

Security • ADS-1800W (Wireless) • ADS-181TH

SMTP-AUTH, SSL/TLS (HTTPS, SMTP), SNMP v3, SSH, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-

TTLS)

Network

Security

(Email) SMTP-AUTH, SSL/TLS (SMTP)

(ADS-

1800W)

ADS-1350W

Wi-Fi CERTIFIED™, WPA3™-Enterprise/Personal, Wi-Fi Protected Setup™ (WPS)

Certification • ADS-1800W

Wi-Fi CERTIFIED™, WPA3™-Enterprise/Personal, Wi-Fi Protected Setup™ (WPS), Wi-Fi Direct®

#### **Computer Requirements Specifications**

Computer Platform & Operating		Supported PC	PC	Processor Minimum	וומוט אמרב נח ווואנמוו	
System Version	c operating	Software Functions	Interface		For Driver:	For Applications
Windows Operating System	Windows 10			32bit (x86) or 64bit	70 MB	Drivers, Installer and Software:
	Windows 1	1		(x64) processor		1.4 GB
	macOS		USB			
Mac Operating System	v11.x	Scanning	WLAN (Wi-Fi) *1	64bit processor	30 MB	Drivers and Software:
	macOS v12.x					
						600 MB
	macOS					
	v13.x					

Gyártó Brother