

TP-Link Tapo C720 Wi-Fi smart home kültéri IP kamera IP65



3,7MP, 2,1mm F2.1 1/3" CMOS, Wi-Fi, beépített mikrofon, beépített hangszóró, 2560x1440, 15fps, alakfelismerés, mozgásérzékelő, éjszakai mód, microSD, fehér

Cikkszám: TAPO C720

Ár:

99 850 Ft

Garancia: 2 Év

Kamera

Képzékelő	1/3" Progressive Scan CMOS Starlight Sensor
	Focal Length: 2.1 mm
Optika	Aperture: F2.1
	Field of View: 153° (Diagonal), 134°(Horizontal), 77.6°(Vertical)
Night Vision	850 nm IR LED (98 ft / 29.9 m)
	Full-Color Night Vision
Lighting	2× Floodlights
	(Color Temperature: 5000K, Brightness: 2800 Lumens)
Interface & Button	1× RESET Button
	1× MicroSD Card Slot (Up to 512 GB)

VIDEO & AUDIO

Maximum Resolution	2560 × 1440 px
Frame Rate	15 fps
Digital Zoom	12×
Video Compression	H.264
Live View	Yes
Image Enhancement	3DNR
	WDR
Audio Input & Output	Built-in Microphone and Speaker
Audio Communication	Two-Way Audio with Noise Cancellation
Siren Volume	93 dB (Level measured at 4-inch/10-cm distance)

STORAGE

Local Storage	MicroSD Card Slot on Camera (Up to 512 GB)
	General Information about using MicroSD Cards >
Cloud Storage	Tapo Care Cloud Storage Services (Subscription required)

DETECTION and NOTIFICATIONS

Sensor	3× PIR Motion Sensors (FOV: 270° horizontal)
	1× Ambient Light Sensor
	Motion detection
	Person detection
AI Detection	Pet detection
	Vehicle detection
	Line-Crossing detection
	Tamper detection
Activity Zones	Yes
Output Notification	System Notification
	System Notification with Snapshot (Tapo Care Services)

Hálózat

Network Connectivity	Connect via Wi-Fi
Wireless Connectivity	IEEE 802.11b/g/n, 2.4 GHz Wi-Fi
RTSP	Yes
ONVIF	Yes

Biztonság

On-Device Machine Learning	
Security	128-bit AES Encryption with SSL/TLS
	WPA/WPA2-PSK/WPA3

POWER

Power Source	Hardwired Only
Input Voltage	110-240 V, 50/60 Hz

Általános

Smart Integration	Google Assistant, Amazon Alexa
Weather Resistance	IP65
System Requirements	Tapo App: iOS 9.0 or higher, Andriod 4.4 or higher
Mounting Options	Ceiling-Mounted Wall-Mounted
Operating Temperature	-20?~45?
Storage Temperature	-20?~60?
Operating Humidity	10%~90%RH, Non-condensing
Storage Humidity	0~90%RH, Non-condensing
Dimensions	5.94 × 5.94 × 5.73 in (151 × 151 × 145.6 mm)
	Tapo C720 Camera
	Mounting Plate
	Plate Screws
	Mounting Bracket
	Bracket Screws
Csomagolás tartalma	Wire Nuts and Extension Wire
	Mounting Screws and Anchors
	Camera Screws and Screw Caps
	Mounting Template
	Quick Start Guide
Certifications	CE, FCC, RoHS, RCM

alakfelismerés	Van
beépített hangszóró	mono
digitális zoom	12
érzékelő felbontása	3,7MP
látószög	153°
smart home	Van
videó felbontása	2560x1440
Gyártó	TP-Link
beépített mikrofon	Van
cikknév kiegészítés	IP65
éjszakai mód	Van
érzékelő típusa	2,1mm F2.1 1/3" CMOS
kamera rögzítés típusa	falra rögzíthető
memóriakártya foglalat	microSD

mozgásérzékelő	Van
rögzítési sebesség	15
WI-FI	Van
szín	fehér