

LG 75UN640S0LD Signage Commercial 75" LED smart TV

FELÁRAS HÁZHOZSZÁLLÍTÁS, 75", 3840x2160, LED, 330cd/m2, USB2.0:
1db, HDMI: 3db, CI foglalat, hotel mód, hangszórók összteljesítménye:
20W, fogyasztás: 228W, kék

Cikkszám: 75UN640S0LD.AEU

Ár:

569 740 Ft



75UN640S (EU/CIS)
UHD TV Signage

Tech Spec

Design

- Front Color: Ashed Blue

- Stand Type: 2 pole

Display

- Inch: 75”
- Resolution: 3,840 x 2,160 (4K UHD)

Video

- HDR (Dolby Vision / 10 Pro / HLG): No / Yes / Yes

Audio

- Audio Output: 20 W
- LG Sound Sync: Yes

Broadcasting System

- Digital: DVB-T2 / C / S2
- Analog (NTSC / SECAM / PAL): SECAM / PAL
- Teletext (Auto Teletext): Yes

Smart Function

- webOS22, Web Browser, Mood Display, Wi-Fi, Bluetooth, SoftAP, Screen Share, DIAL, Bluetooth Audio Playback, HDMI-ARC (HDMI2)

Hospitality Feature

- USB Cloning, WOL, SNMP, Simplink (HDMI-CEC) (1.4), IR Out (RS-232C, HDMI), Multi IR Code, Hotel Mode / PDM / Installer Menu, Welcome Screen (Splash Image), Insert Image, One Channel Map, External Speaker Out,

Moving Picture Playback (SD/HD/Plus HD), Port Block, Lock Mode (Limited), RJP (Remote Jack Pack)
Compatibility, Energy Saving Mode

.

Vertical Function

- Vertical Setup, Fail Over, Play via URL, NTP Server Setting, CISCO Certi. Compatibility (23Y Q3) (TBD), Crestron Certi. Compatibility, DPM (Digital Power Management), Time Scheduler, RTC (Real Time Clock), NTP Sync Timer, BEACON, Embedded CM (Contents Manager), Embedded GM (Group Manager)
-

.

SuperSign SW Compatibility

- Control+ (Free Version), CMS (Premium), LG ConnectedCare
-

.

Dimension

- VESA Compatible: 400 × 400 mm
-
- W x H x D / weight (with stand): 1,678 × 1,027 × 362 mm / 32.1 kg
-
- W x H x D / weight (without stand): 1,678 × 964 × 59.9 mm / 31.4 kg
-
- W x H x D / weight (Shipping): 1,880 × 1,115 × 200 mm / 41.5 kg
-
- On Bezel Width (L/R/U/B): 13.9 / 13.9 / 13.9 / 19.9 mm
-
- Off Bezel Width (L/R/U/B): 7.9 / 7.9 / 7.9 / 18.4 mm
-

.

Power

- Power Supply (Voltage, Hz): AC 100-240 V ~, 50-60 Hz
-
- Power Consumption (Typ. / Max.): 202 W / 228 W
-
- Standby Power Consumption: Under 0.5 W

.

Accessory

- Remote type: S-con
- Power Cable: 1.65 m / Attached / Straight Type

.

Required Listing (Certification)

- Safety: CB, CU TR
- EMC: CE
- SDR Grade: G
- SDR On mode: 133 W
- HDR Grade: G
- HDR On mode: 167 W

.