Szanex Bt.

Cégjegyzék szám: 05-06-005646 Adószám: 21302541-2-05 3700 Kazincbarcika, Dózsa Gy. út 24. szanex@szanex.hu (48) 512-880

StarTech HDMI / DVI / VGA / Component HD USB3.0 video digitalizáló fekete

S-Video bemenet, kompozit video, audio bemenet, USB3.0, HDMI bemenet: 1db, D-Sub bemenet: 1db, DVI bemenet: 1db, USB-A 3.2 Gen1×1: 1db

Cikkszám: USB3HDCAP

Ár:

122 870 Ft



This USB 3.0 external video capture device lets you record 1080p HD video and stereo audio to your computer system. With multiple video inputs including HDMI, DVI, VGA and component, the capture card can record original content from various sources such as computers, camcorders, security systems, POS terminals, and servers. With a framerate of 60 FPS (frames per second) and H.264 encoding, this is the perfect solution for capturing high-definition video for editing, compiling, and archiving.

Seamless picture quality at 60 FPS

Record lossless video at 60 FPS ensuring every frame of content is saved, unlike 30-frame-per-second capture devices that only catch half the action. 60 FPS exactly matches the output of most computer video cards, which is great for recording the output from your PC, server, or POS station when creating software training and tutorial videos.

H.264 encoding for wide device compatibility

The included software encodes in H.264, the most widely adopted video codec in the world, ensuring your video captures will be compatible with almost any device platform such as PC, Mac®, iOS® and Android™ with no editing or converting required. H.264 is also widely supported by most software titles including Adobe Premiere® and Windows Media® Encoder. Plus, the software not only lets you capture and export videos, but it also lets you take screenshots, schedule recordings and instantly stream your video source over the Internet using online services such as Twitch or Justin.TV.

This USB capture card is capable of capturing lossless raw video making it compatible with Microsoft® DirectShow. With raw video capture you can record video using your preferred third party DirectShow software such as Open Broadcaster Software (OBS).

Flexible Input Solutions for Convenient Compatibility

With multiple A/V input options you can capture from a wide variety of sources including HDMI, DVI, VGA, and component. You can also use this capture card with A/V adapters to record other video sources such as SDI using our SDI to HDMI converter (SDI2HD). Support for a variety of A/V device is ideal for archiving analog video footage into a digital database.

The device also includes easy-to-use software that's compatible with NTSC and PAL systems, making it a must for professional video archiving applications where source media can change from project to project.

The USB3HDCAP is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Notes:

- A computer that supports USB 3.0 or higher is required. This product will not work with USB 2.0 or 1.1 controllers.
- Will not record digitally encrypted content.
- Not compatible with ASmedia, or Etron USB 3.0 host controllers. If your system has one of these non-supported controllers you can alternatively add a PCI-express USB 3.0 controller card such as the

StarTech.com PEXUSB3S4V, PEXUSB3S400 or PEXUSB3S4.

Computer System Requirements:

- Operating System: Microsoft® Windows® Vista / 7 / 8 / 8.1 (32/64-bit)
- CPU: i3 Dual Core 2.8GHz or higher
- Memory: 2 GB
- USB 3.0 host controller (Confirmed support with: Intel, Renesas (NEC), VIA, AMD, Fresco FL1100)

The StarTech.com Advantage

- Smooth video capture with USB 3.0 bandwidth, enabling you to record 1080p video at 60fps
- H.264 encoding ensures your recordings will work on any platform, such as PC, Mac, iOS & Android
- Record from virtually any device, with support for HDMI, DVI, VGA, and Component video input sources

Hardware

Audio Yes

Converter Type Format Converter

Industry Standards NTSC, PAL-M, PAL-60, PAL Video Encoding: MPEG4/H.264

NTSC, PAL-M, PAL-60, PAL Video Encoding: MPEG4/H.264

Performance

Audio Specifications HDMI or Component RCA Stereo

General Specifications This product is not compatible with Etron USB controllers, or ASMedia 1042 / 1042A USB

controllers.

Maximum Analog 1920x1080 (1080p/30/50/60)

Resolutions

Maximum Digital Video input: 1920x1080 (1080p/30/50/60)
Resolutions Video Output: 1920x1080 (1080p/60)

Supported Resolutions 1080i/p, 720p, 576i/p, 480i/p

Wide Screen Yes

Supported Connector(s)

Connector B 1 - USB Type-B (9 pin) USB 3.0 Female Output

1 - HDMI (19 pin) Female Input 1 - DVI-I (29 pin) Female Input

Stereo Audio (2 x RCA) Female Input
 Component Video (3 x RCA) Female Input
 Composite Video (1 x RCA) Female Input
 VGA (15 pin; High Density D-Sub) Female Input

1 - S-Video (4 pin; Mini-DIN) Female Input

Software

OS Compatibility Windows ® 10 (32/64), 8/8.1 (32/64), 7 (32/64), Vista (32/64), XP (32/64)

Special Notes / Requirements

Note Confirmed compatible USB 3.0 host controllers: Intel, Renesas (NEC), VIA, AMD,

Fresco FL1100

Incompatible USB 3.0 host controllers: ASmedia, Etron

A computer that supports USB 3.0 or higher is required. This product will not work with USB

2.0 or 1.1 controllers.

Will not record digitally encrypted content.

Environmental

Humidity 20-80% RH Non-Condensing Operating Temperature 0°C to 35°C (32°F to 95°F) Storage Temperature -5°C to 40°C (23°F to 1604°F)

Physical Characteristics

Product Height 1 in [24.5 mm]
Product Length 4.5 in [114.4 mm]
Product Weight 3.7 oz [106 g]
Product Width 3 in [75.5 mm]

Packaging Information

Shipping (Package) 14.5 oz [410 g]

Weight

What's in the Box

Included in Package 1 - USB 3.0 HD Video Capture Device

- 1 A/V breakout cable
- 1 DVI to VGA adapter
- 1 USB 3.0 Cable
- 1 Instruction manual

Gyártó StarTech