

TP-Link Archer C24 AC750 Dual-Band Wi-Fi router



733Mb/s, IEEE 802.11a/b/g/n/ac (Wi-Fi 5), WAN (100Mb/s): 1 port, LAN (100Mb/s): 4 port, antennák száma: 4db, fehér

Cikkszám: ARCHER C24

Ár:

13 410 Ft

Garancia: 3 Év

Standards	Wi-Fi 5
	IEEE 802.11ac/n/a 5 GHz
	IEEE 802.11n/b/g 2.4 GHz
WiFi Speeds	AC750
	5 GHz: 433 Mbps (802.11ac)
	2.4 GHz: 300 Mbps (802.11n)
	2 Bedroom Houses

WiFi Range	
	4× Fixed Antennas
	Multiple antennas form a signal-boosting array to cover more directions and large areas
	Medium

WiFi Capacity	
	Dual-Band
	Allocate devices to different bands for optimal performance
	Router Mode

Working Modes	Access Point Mode
	Range Extender Mode

HARDWARE	
Processor	Single-Core CPU
Ethernet Ports	1× 10/100 Mbps WAN Port
	4× 10/100 Mbps LAN Ports
Buttons	WPS Button
	Reset Button
Power	5 V ? 0.6 A

SECURITY	
	WEP
	WPA
WiFi Encryption	WPA2
	WPA/WPA2-Enterprise (802.1x)
	SPI Firewall
Network Security	Access Control
	IP & MAC Binding
	Application Layer Gateway
Guest Network	1× 5 GHz Guest Network
	1× 2.4 GHz Guest Network

SOFTWARE	
	IPv4

Protocols	IPv4 IPv6
Parental Controls	URL Filtering Time Controls Dynamic IP Static IP
WAN Types	PPPoE PPTP L2TP
Quality of Service	QoS by Device Virtual Server Port Forwarding
NAT Forwarding	Port Triggering DMZ UPnP
IPTV	IGMP Proxy IGMP Snooping
DHCP	Address Reservation DHCP Client List Server NO-IP
DDNS	Comex DynDNS
Management	Tether App Webpage Check Web Emulator>
PHYSICAL	
Dimensions (W×D×H)	4.5 x 4.2 x 1.0 in (115 x 106.7 x 24.3 mm)
Package Contents	Wi-Fi Router Archer C24 Power Adapter RJ45 Ethernet Cable Quick Installation Guide
OTHER	
System Requirements	Internet Explorer 11+, Firefox 12.0+, Chrome 20.0+, Safari 4.0+, or other JavaScript-enabled browser Cable or DSL Modem (if needed)
Certifications	Subscription with an internet service provider (for internet access) FCC, CE, RoHS
Environment	Operating Temperature: 0°~40° (32° ~104°) Storage Temperature: -40°~70° (-40° ~158°) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing
TEST DATA	
WiFi Transmission Power	CE: <20dBm(2.4GHz) <23dBm(5GHz) 5GHz: 11a 54M: -76dBm; 11ac VHT20 MCS8: -71dBm; 11ac VHT40 MCS9: -66dBm; 11ac VHT80 MCS9:
WiFi Reception Sensitivity	-62dBm 2.4GHz: 11g 54M: -76dBm11n; HT20 MCS7: -73dBm; 11n HT40 MCS7: -71dBm

Dual-Band	Van
LAN (100Mb/s)	4

WAN (100Mb/s)	1
Wi-Fi átviteli sebesség	733
Wi-Fi jeltípus	IEEE 802.11a/b/g/n/ac (Wi-Fi 5)
Wi-Fi titkosítás	64/128-bit WEP;WPA;WPA2;WPA2-Enterprise
Gyártó	TP-Link
antenna típusa	külső fix
antennák száma	4
szülői felügyelet	Van
WI-FI	Van
szín	fehér